




Basic Quality Statistical Summary Report

Plant 1210-Liberty Sand Mine
Product 117-GDOT 10NS Concrete Sand
Specification GADOT 10NS
Period 12/20/2018 - 12/27/2018

Sieve/Test	Tests	Average	St Dev	Target	Specification
3/8" (9.5mm)	3	100.00	0.000		
#4 (4.75mm)	3	99.31	0.549		95-100
#8 (2.36mm)	3	92.51	3.528		
#16 (1.18mm)	3	72.87	8.276		45-95
#30 (0.6mm)	3	36.60	7.819		
#50 (0.3mm)	3	11.64	2.984		5-30
#100 (0.15mm)	3	2.92	0.527		0-10
#200 (75µm)	3	0.23	0.092		0-3
Pan	3	0.00	0.000		
FM	3	2.84	0.228	2.65-3.05	2.85
Total Moisture	3	6.9	1.40	0-5	4



Query Query Selections
 Date Created 12/27/2018
 Date Range 12/20/2018 - 12/27/2018
 Plant Liberty Sand Mine
 Sample Type Shipping