




Basic Quality Statistical Summary Report

Plant 1210-Liberty Sand Mine
Product 117-GDOT 10NS Concrete Sand
Specification GADOT 10NS
Period 08/29/2019 - 09/05/2019

Sieve/Test	Tests	Average	St Dev	Target	Specification
3/8" (9.5mm)	2	100.00	0.000		
#4 (4.75mm)	3	99.14	0.326		95-100
#8 (2.36mm)	3	90.98	1.826		
#16 (1.18mm)	3	69.49	4.832		45-95
#30 (0.6mm)	3	37.96	9.217		
#50 (0.3mm)	3	16.68	8.427		5-30
#100 (0.15mm)	3	3.80	1.952		0-10
#200 (75µm)	3	0.17	0.040		0-3
Pan	3	0.00	0.000		
-#200 (75µm)	1	0.18			
Color	1	1			
FM	3	2.82	0.267	2.65-3.05\2.85	
Total Moisture	3	3.3	0.47	0-5\4	0-6



Query Query Selections
 Date Created 09/05/2019
 Date Range 08/29/2019 - 09/05/2019
 Plant Liberty Sand Mine
 Sample Type Shipping