




Basic Quality Statistical Summary Report

Plant 1210-Liberty Sand Mine
Product 117-GDOT 10NS Concrete Sand
Specification GADOT 10NS
Period 03/19/2020 - 03/26/2020

Sieve/Test	Tests	Average	St Dev	Target	Specification
3/8" (9.5mm)	5	100.00	0.000		
#4 (4.75mm)	5	99.07	0.155		95-100
#8 (2.36mm)	5	91.85	0.672		
#16 (1.18mm)	5	71.18	3.185		45-95
#30 (0.6mm)	5	42.20	4.263		
#50 (0.3mm)	5	17.13	1.631		5-30
#100 (0.15mm)	5	3.97	0.981		0-10
#200 (75µm)	5	0.19	0.114		0-3
Pan	5	0.00	0.000		
SE	1	105			
FM	5	2.75	0.089	2.65-3.05\2.85	
Total Moisture	5	3.1	0.86	0-5\4	0-6



Query Query Selections
 Date Created 03/26/2020
 Date Range 03/19/2020 - 03/26/2020
 Plant Liberty Sand Mine
 Sample Type Shipping