




# Basic Quality Statistical Summary Report

**Plant** 2010-Ortona Sand Company (FDOT Pit # 05-045)  
**Product** 1001-FDOT Concrete Silica Sand Code F01  
**Specification** FDOT Concrete Silica Sand Code F01  
**Period** 09/11/2022 - 09/17/2022

Sieve/Test	Tests	Average	St Dev	Target	Specification
#4 (4.75mm)	8	100.0	0.00		95-100
#8 (2.36mm)	8	99.9	0.04		85-100
#16 (1.18mm)	8	95.1	0.98	67-96	65-97
#30 (0.6mm)	8	47.7	3.82	27-68	25-70
#50 (0.3mm)	8	10.8	2.79		5-35
#100 (0.15mm)	8	0.7	0.31		0-7
#200 (75µm)	8	0.0	0.00		
Pan	8	0.0	0.00		
FM	8	2.46	0.077	2.22-2.57/2.4	2.2-2.6



**Query** Query Selections  
 Date Created 09/21/2022  
 Date Range 09/11/2022 - 09/17/2022  
 Plant Ortona Sand Company (FDOT Pit # 05-045)  
 Sample Type Shipping