




# Basic Quality Statistical Summary Report

**Plant** 1210-Liberty Sand Mine  
**Product** 1001-FDOT Concrete Silica Sand Code F01  
**Specification** FLDOT Silica Sand  
**Period** 09/11/2022 - 09/17/2022

Sieve/Test	Tests	Average	St Dev	Target	Specification
#4 (4.75mm)	2	100	0.7		95-100
#8 (2.36mm)	2	92	0.7		85-100
#16 (1.18mm)	2	69	1.4		65-97
#30 (0.6mm)	2	42	4.9		25-70
#50 (0.3mm)	2	18	1.4		5-35
#100 (0.15mm)	2	4	2.1		0-7
#200 (75µm)	2	0.34	0.049		0-4
Pan	2	0.00	0.000		
FM	2	2.76	0.035	2.55-2.95\2.75	2.55-2.95



**Query** Query Selections  
 Date Created 09/21/2022  
 Date Range 09/11/2022 - 09/17/2022  
 Plant Liberty Sand Mine  
 Sample Type Shipping