




Basic Quality Statistical Summary Report

Plant 1210-Liberty Sand Mine
Product 117-GDOT 10NS Concrete Sand
Specification GADOT 10NS
Period 12/22/2023 - 12/29/2023

Sieve/Test	Tests	Average	St Dev	Target	Specification
3/8" (9.5mm)	1	100.00			
#4 (4.75mm)	1	99.37			95-100
#8 (2.36mm)	1	93.37			
#16 (1.18mm)	1	72.38			45-95
#30 (.6mm)	1	40.92			
#50 (.3mm)	1	15.31			5-30
#100 (.15mm)	1	2.68			0-10
#200 (75µm)	1	0.04			0-3
Pan	1	0.00			
FM	1	2.76		2.4-2.85\2.65	
-#200 (75um)	1	0.04			
Total Moisture	1	4.6		0-5\4	0-6



Tests: 1 D10(ES): 0.224 D15: 0.295 D30: 0.446 D50: 0.729 D60: 0.904 D85: 1.790 D90: 2.111 Cu: 4.034 Cc: 0.983

Query

Query Selections

Date Created 12/29/2023

Date Range 12/22/2023 - 12/29/2023

Plant Liberty Sand Mine

Sample Type Shipping