




Basic Quality Statistical Summary Report

Plant 1210-Liberty Sand Mine
Product 1001-FDOT Concrete Silica Sand Code F01
Specification FLDOT Silica Sand
Period 10/24/2024 - 10/31/2024

Sieve/Test	Tests	Average	St Dev	Target	Specification
#4 (4.75mm)	6	99	0.4		95-100
#8 (2.36mm)	6	94	2.2		85-100
#16 (1.18mm)	6	77	7.7		65-97
#30 (.6mm)	6	48	6.7		25-70
#50 (.3mm)	6	24	6.7		5-35
#100 (.15mm)	6	3	1.2		0-7
#200 (75µm)	6	0.12	0.033		0-4
Pan	6	0.00	0.000		
FM	6	2.54	0.213	2.4-2.8	2.4-2.8
Total Moisture	5	5.1	0.33		
D10 (ES)	6	0.19	0.025		
Cu	6	4.18	0.473		



Query

Query Selections
Date Created 10/31/2024
Date Range 10/24/2024 - 10/31/2024
Plant Liberty Sand Mine
Sample Type Shipping