




Basic Quality Statistical Summary Report

Plant 1030-Haines City Mine (FDOT Pit #16-024)
Product 1008-Mason Sand
Specification Mason Sand
Period 04/11/2025 - 04/18/2025

Sieve/Test	Tests	Average	St Dev	Target	Specification
#4 (4.75mm)	6	100	0.0	97-100	
#8 (2.36mm)	6	100	0.0	97-100	
#16 (1.18mm)	6	100	0.5	90-100	
#30 (.6mm)	6	97	2.4	65-100	
#50 (.3mm)	6	82	8.7	35-90	
#100 (.15mm)	6	15	2.7	0-40	
#200 (75µm)	6	0.2	0.10		
Pan	6	0.0	0.00		
FM	6	1.07	0.141		
Total Moisture	6	2.4	1.69	0-6\3	0-7
D10 (ES)	6	0.12	0.011		
D50	6	0.22	0.017		
D60	6	0.24	0.020		
Cc	6	1.07	0.088		
Cu	6	2.01	0.060		



Query

Query Selections

Date Created 04/18/2025

Date Range 04/11/2025 - 04/18/2025

Plant Haines City Mine (FDOT Pit #16-024)

Sample Type Shipping