




Basic Quality Statistical Summary Report

Plant 1210-Savannah Sand Mine
Product 1001-FDOT Concrete Silica Sand Code F01
Specification FLDOT Silica Sand
Period 05/23/2025 - 05/30/2025

Sieve/Test	Tests	Average	St Dev	Target	Specification
#4 (4.75mm)	4	100	0.5		95-100
#8 (2.36mm)	4	94	1.0		85-100
#16 (1.18mm)	4	78	1.4		65-97
#30 (.6mm)	4	46	3.3		25-70
#50 (.3mm)	4	15	0.8		5-35
#100 (.15mm)	4	4	1.3		0-7
#200 (75µm)	4	0.26	0.094		0-4
Pan	4	0.00	0.000		
FM	4	2.64	0.046	2.4-2.8\2.6	2.4-2.8
Total Moisture	4	5.2	1.73		
D10 (ES)	4	0.22	0.005		
Cu	4	3.59	0.197		



Tests: 1 D10(ES): 0.219 D15: 0.300 D30: 0.420 D50: 0.653 D60: 0.807 D85: 1.598 D90: 1.985 Cu: 3.684 Cc: 0.997

Query

Query Selections
Date Created 05/30/2025
Date Range 05/23/2025 - 05/30/2025
Plant Savannah Sand Mine
Sample Type Shipping